

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

1 Identification

· **Product identifier**

· **Trade name:** **PICCOLYTE® C125**

· **Product Description** polyterpene resin

· **Article number:** 105501, 116731

· **Application of the substance / the mixture**

Tackifier resin with natural and synthetic rubbers in pressure-sensitive and hot-melt adhesives

Masticatory agent in chewing gum compositions

Modifier resin in rubber and plastics compounding

Wax modifier for investment castings

Hot melt coatings formulated with waxes and polybutenes

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Pinova Incorporated

2801 Cook Street

Brunswick, Georgia 31520

msds@pinovasolutions.com

· **Information department:**

Pinova, Inc. - Regulatory Affairs Department

msds@pinovasolutions.com

· **Emergency telephone number:**

Within USA and Canada: 1-800-CHEMTREC (424-9300)

Outside the USA and Canada: 1-703-527-3887

2 Hazard(s) identification

· **Classification of the substance or mixture**

Combustible Dust May form combustible dust concentrations in air.

· **Label elements**

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** Void

· **Signal word** Warning

· **Hazard statements**

May form combustible dust concentrations in air.

· **Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P234 Keep only in original container.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / eye protection.

P301+P312 If swallowed: Call a doctor if you feel unwell.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 1)

- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.*
- P302+P352 If on skin: Wash with plenty of soap and water.*
- P304+P312 IF INHALED: Call a doctor if you feel unwell.*
- P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.*
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P314 Get medical advice/attention if you feel unwell.*
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.*
- P363 Wash contaminated clothing before reuse.*
- P402+P404 Store in a dry place. Store in a closed container.*
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.*
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Information pertaining to particular dangers for man and environment:**

DANGER!

HOT MOLTEN product: Burns may cause irreversible eye injury and blindness. Causes skin burns. Inhalation of smoke or fumes may cause throat discomfort, coughing, or breathing difficulty. Product may burn if ignited.

POTENTIAL HEALTH EFFECTS - May cause eye irritation by mechanical abrasion. May cause skin irritation by mechanical abrasion. Inhalation may cause respiratory irritation with throat discomfort, coughing, or breathing difficulty. Repeated exposure may lead to respiratory sensitization (asthma) in susceptible individuals.

GENERAL HYGENIC PRACTICES - Avoid contact with eyes, skin and clothing. Avoid breathing dust or fumes. Handle in areas with adequate ventilation.

WARNING!

Solid product at ambient temperature. Static charges generated by emptying package in or near flammable vapors may cause a flash fire. May form flammable dust-air mixtures.

Refer to SDS Section 8, Exposure Controls/Personal Protection, for further information. Refer to Section 5 for Hazardous Combustion Products and Section 10 for Hazardous Decomposition/Hazardous Polymerization Products.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not a PBT.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 2)

· **vPvB:** Not a vPvB.

3 Composition/information on ingredients

- **Chemical characterization:** Substances polymer
- **CAS No.:** 9003-73-0
- **CAS No. Description**
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, homopolymer
- **Additional information:**
This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Remove to fresh air. Get medical attention if nasal, throat or lung irritation develops.
- **After skin contact:**
Wash with soap and water. Get medical attention if irritation develops or persists.
HOT MOLTEN or HOT LIQUID product: Immediately cool skin burns with water and cold packs for at least 15 minutes. Do NOT put ice directly on the skin. Do NOT attempt to remove solidified resin from the skin as severe tissue damage may result. Get immediate medical attention. See Note to Physician.
- **After eye contact:**
Remove contact lenses. Hold eyelids apart. Immediately flush eyes with plenty of low-pressure water for at least 15 minutes. Get medical attention if irritation persists.
HOT MOLTEN product: Cool burns with plenty of low-pressure water. Get immediate medical attention.
- **After swallowing:**
Not an ingestion hazard under anticipated conditions of use.
For accidental ingestion: Do NOT induce vomiting. Get immediate medical attention.
- **Information for doctor:**
For HOT MOLTEN or HOT LIQUID product: Material should not be forcibly removed from the skin. Mineral oil may be used to loosen and soften the material.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water spray, dry chemical, foam, carbon dioxide or clean extinguishing agents may be used on fires involving this product.
Use fire fighting measures that suit the environment.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 3)

· **Special hazards arising from the substance or mixture**

If heated to combustion, the following substances may be formed:

Carbon monoxide (CO)

Carbon Dioxide (CO₂)

Aldehydes

Carboxylic acids

Smoke

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear when fighting fires involving this product.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Ventilate area. Avoid dust formation.

If product is not contaminated, scoop into clean containers for use. If product is contaminated, scoop into containers, and dispose appropriately. In case of accidental spill or release, refer to Section 8, Personal Protective Equipment and General Hygiene Practices.

· **Environmental precautions:**

If product is not contaminated, scoop into clean containers for use. If product is contaminated, scoop into containers, and dispose appropriately. In case of accidental spill or release, refer to Section 8, Personal Protective Equipment and General Hygiene Practices.

· **Methods and material for containment and cleaning up:** *Pick up mechanically.*

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:** *Substance is not listed.*

· **PAC-2:** *Substance is not listed.*

· **PAC-3:** *Substance is not listed.*

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ground all equipment.

Blanket vessel with inert gas when emptying bags where flammable vapors may be present.

Ground operator and pour material slowly into conductive, grounded chute.

For large bags (1000 lbs or greater) a ground cable MUST be attached to the bag ground connection.

For HOT MOLTEN or HOT LIQUID product: Use personal protective equipment as indicated in Section 8: Exposure Controls/Personal Protection.

· **Information about protection against explosions and fires:**

Avoid conditions that generate dust; product may form flammable dust-air mixtures.

Avoid emptying package in or near flammable vapors; static charges may cause flash fire.

Keep away from heat, flame, sparks and other ignition sources.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 4)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool, dry, well-ventilated area.
Keep container closed when not in use.
Control inventory.
Rotate stock periodically.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
Eyewash fountains and safety showers should be easily accessible.
Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Discharge from the ventilation system should comply with applicable air pollution control regulations.
Eliminate ignition sources and prevent build-up of static electrical charges.
Completely isolate and thoroughly clean all equipment, piping, or vessels before beginning maintenance or repairs.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional Occupational Exposure Limit Values for possible hazards during processing:**
PARTICULATES (INSOLUBLE) NOT OTHERWISE SPECIFIED (PNOS): If used under conditions that generate particulates, the ACGIH TLV-TWA of 3 mg/m³ respirable fraction (10mg/m³ total) should be observed.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Avoid contact with eyes, skin, and clothing.
Avoid breathing dust, vapor or mist.
Handle in areas with adequate ventilation.
Avoid contamination of food, beverages, or smoking materials.
Wash thoroughly after handling, and before eating, drinking or smoking.
Remove contaminated clothing promptly and clean thoroughly before reuse.
- **Breathing equipment:**
Appropriate respiratory protection is required when exposure to airborne contaminants may exceed acceptable limits. Respirators should be selected and used in accordance with OSHA, Subpart I (29 CFR 1910.134) and manufacturers recommendations.
- **Protection of hands:**
Impervious gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material should be made based on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 5)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:**

Appropriate protective clothing

Personnel exposed to HOT MOLTEN or HOT LIQUID material should wear protective clothing that provides protection against thermal burns. Required Protective Equipment: a) Longsleeved protective shirt, long pants and work shoes; b) Hard hat and face shield; c) Long-cuff gloves (Gauntlet type-extending beyond wrist); d) Lined rain suit with protective hood or shoulder shroud or e) Full aluminized or thermal suit with hood.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Solid or flake
Color:	light amber
Odor:	typical terpene
Specific Gravity	0.99 @ 25°C

· **Change in condition**

Softening Point	122 - 128 °C (251.6-262.4 °F) (Ring & Ball)
-----------------	---------------------------------------------

Flash point:	> 175 °C (>347 °F)
--------------	--------------------

Flammability (solid, gaseous):	Product is not flammable.
--------------------------------	---------------------------

Auto ignition temperature:	Not determined.
----------------------------	-----------------

Explosive properties:	Product is not explosive. However, formation of explosive air/dust mixtures are possible.
-----------------------	-------------------------------------------------------------------------------------------

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

Oxidizing properties	The substance does not contain any chemical groups associated with oxidizing properties.
----------------------	------------------------------------------------------------------------------------------

Vapor pressure:	Negligible
-----------------	------------

· **Density:**

Bulk density:	Not determined
Relative density	Not determined.
Vapor density	heavier than air

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 6)

Evaporation rate	<i>slower than butyl acetate</i>
· Solubility in / Miscibility with Water:	<i>Negligible</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity:	
Dynamic:	<i>Not determined.</i>
Kinematic:	<i>Not determined.</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
Stable under recommended handling and storage conditions.
- **Possibility of hazardous reactions**
Not anticipated under normal or recommended handling and storage conditions.
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *None known.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**
PRODUCT/SIMILAR PRODUCT - Ninety-day feeding studies of 2,000 and 10,000 ppm in the diet resulted in no dose-related effects in rats.
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *The fine particles and powder should be regarded as an inert, nuisance dust.*
- **Sensitization:**
No human toxicity studies have been carried out with this product. Due to the physical nature of this material, may cause eye, skin and respiratory irritation by mechanical abrasion.
- **Additional toxicological information:** *The substance is not subject to classification.*
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** *Substance is not listed.*
- **NTP (National Toxicology Program)** *Substance is not listed.*
- **OSHA-Ca (Occupational Safety & Health Administration)** *Substance is not listed.*

US

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 7)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability**
Based upon data from this or similar materials, this product cannot be regarded as readily biodegradable; however, it may be slowly biodegradable.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** No ecological studies have been carried out on this product.
- **Results of PBT and vPvB assessment**
- **PBT:** Not a PBT.
- **vPvB:** Not vPvB.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Handling, transportation, and disposal of material should be conducted in a manner to prevent a nuisance dust hazard. Fully containerize the material before handling, and protect from exposure to the outdoors. Ensure there are no restrictions on disposing of bulk or semi-bulk quantities of waste material. Disposal should be in accordance with all Federal, State and local regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|-------------------------------------|------|
| · UN-Number | Void |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · DOT, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | Void |
| · DOT, ADN, IMDG, IATA | Void |
| · Class | Void |
| · ADR | Void |
| · Class | Void |
- Not classified as dangerous goods for transport according to the regulations.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 8)

· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Remarks:	This product is not subject to DOT regulations. For specific information regarding transportation of this product, please call the Pinova representative at (888) 807-2958
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):**
This product does not contain any chemicals subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act and 40CFR372.

Substance is not listed.

- **SECTIONS 302/304**
This product is not an Extremely Hazardous Substance subject to reporting under 40CFR355.
- **SECTION 311 AND 312**
Physical Hazard:
Combustible Dust
- **CERCLA**
This product does not contain any chemicals subject to reporting as a CERCLA Hazardous Substance under 40CFR302.4.
- **RCRA**
This product is not a hazardous waste as listed in 40CFR261.33. It does not exhibit any of the hazardous characteristics listed in 40CFR261, Subpart C.
- **TSCA (Toxic Substances Control Act):** Substance is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 9)

- **New Jersey Right-to-Know List:** Substance is not listed.
- **New Jersey Special Hazardous Substance List:** Substance is not listed.
- **Pennsylvania Right-to-Know List:** Substance is not listed.
- **Pennsylvania Special Hazardous Substance List:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **Canadian substance listings:**
- **Canadian Domestic Substances List (DSL)** Substance is listed.
- **Canadian Non-Domestic Substances List (NDSL)** Substance is not listed.
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**
May form combustible dust concentrations in air.
- **Precautionary statements**
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P234 Keep only in original container.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P262 Do not get in eyes, on skin, or on clothing.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection.
- P301+P312 If swallowed: Call a doctor if you feel unwell.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P304+P312 IF INHALED: Call a doctor if you feel unwell.
- P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P314 Get medical advice/attention if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P402+P404 Store in a dry place. Store in a closed container.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

DISCLAIMER: The information and recommendations contained in this Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/29/2018

Reviewed on 10/29/2018

Trade name: PICCOLYTE® C125

(Contd. of page 10)

measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.

- **Department issuing SDS:** Regulatory Affairs Department
- **Contact:** MSDS@pinovasolutions.com
- **Date of preparation / last revision** 10/29/2018 / 9.0
- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

- **Sources** Literature and company data
- *** Data compared to the previous version altered.**

Section 15 -

SARA 311/312 physical and health hazard warnings updated to match OSHA Hazard Communications Standard 2012 Final Rule Technical Amendment effective January 1st, 2018.